

ILEOSCOPY PACKAGE

PATIENT NAME:							
PROCEDURE DATE:	_ at	with					
Please arrive to the Toronto Immune and Digestive Health Institute at: 700 Lawrence Ave. W., 3 rd floor, Suite 360, Toronto, ON, M6A 3B4 (T: 647-812-2113) Enter through the East Tower Entrance, located between Booster Juice and the Foot Institute							
Arrange for a pick-up <u>2 hours after your procedure start time.</u> If you do not have an adult accompany you home, your procedure will be cancelled.							

The Ileoscopy Package includes the following documents:*

- 1. Ileoscopy Preparation Instructions (2 pages)
- 2. Pre-Anesthesia Questionnaire (3 pages)
- 3. Ileoscopy & Polypectomy Information (2 pages)

Please read **ALL** the documents enclosed within the lleoscopy Package carefully. Failure to follow the instructions may result in the cancellation of your procedure.

If you have any questions or require further information, please contact the clinic and one our staff members will be happy to assist you.

Phone: 647-812-2113 Email: reception@tidhi.ca

CANCELLATION POLICY

You will be called by our office two weeks prior to your scheduled procedure to remind you of your appointment date and time. If our office is not able to speak with you directly, you <u>must</u> call the clinic at 647-812-2113 no later than 5 business days prior to you scheduled procedure. Failure to confirm your appointment in a timely manner may result in your procedure time being given away to another patient.

CANCELLATIONS WITH LESS THAN 5 BUSINESS DAY'S NOTICE WILL RESULT IN A \$200 FEE NOT COVERED BY OHIP

^{*}Contact the office immediately if you are missing any of the documents listed above.



ILEOSCOPY PREPARATION INSTRUCTIONS

Page 2 of 2

PLEASE READ THE FOLLOWING INSTRUCTIONS CAREFULLY

MEDICATIONS TO DISCONTINUE:

- Iron medications stop at least 10 days prior to the procedure
- Aspirin stop at least 7 days prior to your procedure, after consulting with your physician
- Coumadin (Warfarin) or Xarelto (Rivaroxaban) you may need to temporarily discontinue these medications. Please discuss this with your prescribing physician well in advance of the procedure
- Insulin or pills for Diabetes please discuss with your family physician prior to the test
- If you have an abnormal heart valve, prosthetics heart valve or other conditions where you have been told to take antibiotics prior to dental procedures, please advise us immediately.

1. TWO WEEKS PRIOR to your procedure:

- Call the clinic at 647-812-2113 to confirm your procedure
- Complete the Pre-Anesthesia Questionnaire and submit to the clinic via email (reception@tidhi.ca) or fax (647-812-2114)
- Purchase the following bowel prep materials over-the-counter at your local pharmacy:
 - (1) box of PICO-SALAX (contains two packages)

2. ONE WEEK PRIOR to your procedure:

STOP eating whole grains, nuts, seeds, dried fruit, or raw fruits/vegetables

3. ONE DAY PRIOR to your examination:

- Clear fluids ONLY NO solid food or dairy
 Examples: soup broth, Gatorade, tea/coffee with sugar, apple juice, gingerale, Jell-O (avoid red/purple)
- At 9:00 AM, take two Dulcolax 5mg tablets (10mg total)
- Anytime Between 4:00 PM and 8:00 PM
 - o Mix one (1) packet of PICO-SALAX with half glass of water, drink when dissolved
 - o Save the other package for a future procedure
 - Drink an additional 4-5 cups of water after finish the first package
 - o NOTE: Expect to have a lot of stool, although some people o not have them immediately, and it can take a few hours. If stool is not clear, mix the second package and drink

4. MORNING OF EXAMINATION:

DO NOT EAT ANYTHING THE DAY OF THE PROCEDURE AND ONLY DRINK WATER UP TO 4 HOURS
PRIOR TO PROCEDURE



ILEOSCOPY PREPARATION INSTRUCTIONS

Page 3 of 2

IMPORTANT INFORMATION

- If you have sleep apnea plan to bring your CPAP machine to the procedure
- Continue any blood pressure medication as usual
- If you missed any of the steps on the previous page, PLEASE STILL COME IN FOR THE PROCEDURE
- DO NOT BRING ANY VALUABLES JEWELLERY OR WEAR MAKE UP
- You will be sedated during the procedure. Therefore, **YOU MUST BEACCOMPANIED BY SOMEONE WHEN YOU LEAVE.** If you do have someone to accompany you, your procedure will be cancelled.

WHEN YOU ARRIVE

- The Toronto Immune and Digestive Health Institute is located in the Lawrence-Allen Centre at (700 Lawrence Avenue West). There is free, unlimited parking and adjacent TTC/Subway access (Lawrence West Station).
- Please enter through the East Tower entrance, which is accessible from the parking lot on the south side of the mall facing Lawrence Avenue. The East Tower entrance can be found between Booster Juice and the Foot Institute.
- Once inside, take the elevators up to the 3rd floor Suite 360.
- Unfortunately due to COVID restrictions, your escort cannot accompany you inside the clinic. Your escort can visit the retail shops at the Lawrence-Allen Centre, which provides immediate access to food, shopping and other amenities. Your escort will be informed when you are ready to be picked up.

PRE-ANESTHESIA QUESTIONNAIRE Page 1 of 3



Please complete this form and email (reception@tidhi.ca) or fax (647-812-2114) a copy of the completed form to the clinic at least 14 days prior to your scheduled procedure.

Date of Procedure (MM/DD/YY):									
Name (Last, First, M.I.):					DOB (MM/DD/	(Y):			
OHIP #:			Version Code:	Weight:			Height:		
Emergency Contact Name:			Relationship:	Phone:					
		MEDI	CAL HISTORY						
Cardiac Health				Respiratory Hea	nith				
Angina	□ Yes	□No		-			□ Yes	□No	
Hypertension	□ Yes	□No		COPD			□ Yes	□No	
Myocardial Infarction	□ Yes	□No		Tuberculosis			□ Yes	□No	
Atrial Fibrillation	□ Yes	□No		Sleep Apnea			□ Yes	□No	
Heart murmur	□ Yes	□No		Other:					
Cardiac Valve Disorders	□ Yes	□No							
Pacemaker	□ Yes	□No		Endocrine and l	Metaholic Heal	th			
Stent/Angioplasty	□ Yes	□No		Diabetes	□ Type I	□ Type II	□ Yes	□ No	
Other:				Thyroid Disea			□ Yes	□ No	
				Other:					
Blood Health									
Anemia	□ Yes	□No		Gastrointestinal Health					
Sickle Cell Trait	□ Yes	□No		Heartburn or GERD			□ Yes	□No	
Sickle Cell Anemia	□ Yes	□No		Hiatus Hernia			□ Yes	□No	
Bleeding Disorder	□ Yes	□No		Liver Disease name: ☐ Yes			□ Yes	□No	
DVT or PE	□ Yes	□No					□No		
Aneurysm	□ Yes	□No		Difficulty Eati	ng or Swallo	owing	□ Yes	□No	
HIV/AIDS	□ Yes	□No		Nausea or Voi	miting		□ Yes	□No	
Other:				Other:					



PRE-ANESTHESIA QUESTIONNAIRE Page 2 of 3

Neuro and Musculoskeletal Health				Kidney and Bladder Health			
Dementia	□ Yes	□No		Kidney Disease name:		□ Yes	□ N
Alzheimer's disease	□ Yes	□No		If yes, are you on dialysis	?	□ Yes	□ N
Migraine	□ Yes	□No		Other:			
Vertigo	□ Yes	□No					
Neuropathy	□ Yes	□No		Other Significant Conditions:			
Fibromyalgia	□ Yes	□No					
Spinal Stenosis	□ Yes	□No					
Osteoarthritis	□ Yes	□No					
Rheumatoid Arthritis	□ Yes	□No					
Epilepsy or Seizure Disorder	□ Yes	□No					
Multiple Sclerosis	□ Yes	□No					
Parkinson's disease	□ Yes	□No					
Other:							
		CURRE	NT MEDICATIO	NS			
☐ No prescription medications		CURRE		NS counter medications, supplem	nents, vitamins (or probiotic	es.
□ No prescription medications		CURRE			ents, vitamins (or probiotic	s
	biotics:	CURRE Dose:			lents, vitamins of	or probiotic	s
□ No prescription medications Medications, supplements, vitamins or prol	biotics:			counter medications, supplem		or probiotic	s
	biotics:			counter medications, supplem		or probiotic	s
	biotics:			counter medications, supplem		or probiotic	's
	biotics:			counter medications, supplem		or probiotic	'S
	biotics:			counter medications, supplem		or probiotic	S
	biotics:			counter medications, supplem		or probiotic	S
	biotics:			counter medications, supplem		or probiotic	S
	biotics:			counter medications, supplem		or probiotic	S
	biotics:			counter medications, supplem		or probiotic	S
	biotics:			counter medications, supplem		or probiotic	is s



PRE-ANESTHESIA QUESTIONNAIRE Page 3 of 3

ANESTHETIC HISTORY								
Have you ever had general anesthesia?	□ Yes	□ No						
If yes, please describe:								
Have you ever had regional anesthesia? (e.g. nerve block, epidural, spinal, etc.	□ Yes	□ No						
If yes, please describe:								
Have you had any reactions to anesthesia in the past?	□ Yes	□ No	If yes, check/describe below.					
□ Malignant Hyperthermia □ Pseudoc	☐ Malignant Hyperthermia ☐ Pseudocholinesterase							
□ Other Reaction:								
Has a family member ever had a serious reaction to anesthesia?	□ Yes	□ No						
If yes, please describe:								
ADDITIONAL SCREENING QUESTIONS								
Do you bruise easily?	□ Yes	□No						
Do you use home oxygen?	□ Yes	□No						
Do you have loose teeth or dentures?	□ Yes	□No						
Do you have any severe visual or hearing impairments?	□ Yes	□No						
Do you drink alcohol?	□ Yes	□ No	If yes, number	of drinks/week:				
Do you smoke?	□ Yes	□ No	If yes, type + a	mount/week:				
Do you use recreational drugs?	□ Yes	□No	If yes, type + a	mount/week:				
If female, are you currently pregnant?	□ Yes	□No	□ N/A					

Patient Signature Date (MM/DD/YY):



ILEOSCOPY & POLYPECTOMY

Page 1 of 2

BEFORE YOUR PROCEDURE

What is an ileoscopy?

An ileoscopy is an examination of part of the small intestine with a camera on the end of a tube. Instruments may be passed through the scope to take tiny, painless biopsies (samples of tissue) for microscopic examination in the laboratory. Photographs and video may also be taken during the procedure. Ileoscopies is used to in inflammatory bowel disease (IBD/Crohn's disease, ulcerative colitis) to assess the extent and severity of the inflammation and/or to evaluate treatment response. It is also used to detect and diagnose colon cancer, polyps, causes of bleeding and diarrhea. There is very little risk associated with ileoscopy and polyp removal/biopsies when they are performed by specially trained physicians and health care teams.

What is a Polypectomy?

During the course of your ileoscopy, a polyp may be found. Polyps are abnormal growths of tissue which vary in size from a few millimeters to several centimeters. Depending on the size, shape and location of the polyp, it may be removed (polypectomy). You should feel no pain during polyp removal. Polyps are usually removed because they can be a source of rectal bleeding or may contain cancer. Although the majority of polyps are benign (not cancerous), some may eventually become cancerous if left untouched.

What to Expect

- You will be admitted to the endoscopy suite
- A blood test may be taken
- · You will change into a patient gown
- · You will empty your bladder
- Your vital signs will be taken
- You will be given an intravenous injection to make you sleepy and relaxed
- The examination will be done with you lying on your left side
- The scope will be introduced via your rectum or stoma so your bowel can be examined
- You may feel some cramping and pressure



ILEOSCOPY & POLYPECTOMY

Page 8 of 2

AFTER YOUR PROCEDURE

After the Ileoscopy

You will be taken to the Endoscopy recover area where you will remain until most of the effects of the medication have worn off. When your nurse and anesthetist has decided that you are sufficiently recovered, your escort will be called to pick you up. You will be discharged to your escort. You will not be allowed to drive for 24 hours.

Complications

Complications are extremely rare but can occur. One complication is perforation or tear through the wall of the bowel that may allow leakage of intestinal fluids. This complication may require surgery or management with antibiotics and intravenous fluids. Bleeding may occur from a biopsy or polyp removal. This is usually minimal but, rarely, blood transfusions or surgery may be required. Irritation of a vein can occur at an intravenous site. A tender lump or bruise may develop and last from several days to months. It eventually goes away with no ill effects. Other risks include drug reactions and complications from unrelated medical conditions. Your physician and his staff are alert to the possibilities and are fully equipped to handle any complications which may arise.

Results

The results will be explained at the conclusion of your procedure. Because of the sedation, you may not remember what you have been told. If you require further explanation, you should call the physician who performed the procedure or make an office appointment for a complete explanation. If biopsies have been taken, results can take 10-14 days to be available. Please call the office to follow up.